

**RECEIVED**  
**CENTRAL FAX CENTER****FEB 21 2005****DIMOCK STRATTON LLP***Barristers and Solicitors • Patent and Trade-Mark Agents***FAX****DATE:** February 21, 2005

TO: NAME & FIRM	PHONE #	FAX #
<b>Examiner Christopher Upton</b> United States Patent and Trademark Office GROUP ART UNIT: 1724	1-571-272-1169	1-703-872-9306

**FROM:** Mark B. Eisen**OUR FILE:** 1569-7/MBE**TOTAL PAGES SENT (including this page):** 16Confirmation of facsimile to follow: ☐ Yes ☒ No, unless requestedIf you do not receive all the pages of this facsimile clearly,  
please call Liz Forster at (416) 971-7202.**NOTES:****Re: U.S. Patent Application No. 10/621,508***Documents Enclosed: Response to Office Action mailed  
October 20, 2004 (signature page in duplicate); Claim Fee  
Calculation Sheet (in duplicate); Petition for one month  
extension of time (in duplicate).*This fax may contain information which is confidential and privileged. If you are not  
the intended recipient of this fax, you are not permitted to make use of this fax.

If you have received this in error, please notify the sender.


20 Queen Street West, Suite 3202, Box 102, Toronto, Ontario Canada M5H 3R3  
Tel: (416) 971-7202 Fax (416) 971-6638  
E-mail: firm@dimock.com • www.dimock.com

RECEIVED  
CENTRAL FAX CENTER

FEB 21 2005

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this document and the documents indicated as enclosed herewith are being sent by facsimile transmission to the United States Patent and Trademark Office on the date set forth below.

Date: February 21, 2005  
Mark B. Eisen  
Registration No. 33,088**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Application No.: 10/621,508

Filing Date: July 18, 2003

Applicant: Paul H. Patrick et al.

Title: Porous Dike Intake Structure for  
Fish Diversion

Examiner: Christopher Upton

Attorney's Ref.: 1569-7/MBE

**AMENDMENT**

In response to the Official Action

Dated: October 20, 2004

**SENT BY COURIER**

Commissioner for Patents  
U.S. Patent and Trademark Office  
220 20<sup>th</sup> Street South  
Customer Window, Mail Stop Amendment  
Crystal Plaza Two, Lobby, Room 1B03  
Arlington, VA 22202  
U.S.A.

Dear Sir:

Please amend this application as follows: